




2 FT. DECORATIVE CAST IRON DURA SLOPE GRATE




Weave
DS-601




Diamond
DS-602



Tile
DS-603



Brick
DS-604



Slot
DS-609

Material: Ductile Iron

Color: Uncoated Raw Iron—will develop a rust patina over time

****Load Class**: up to D (with Ductile Iron DS-200H Frame)

Fits: Use with Dura Slope Channel Drains and Dura Slope Catch Basin (DS-340)

- Weave Pattern: Weight: 14.5 lbs
Open Space: 7.92 in² per foot
24.3 (gpm/ft) gallons per minute/foot*
- Diamond Pattern: Weight 14.3 lbs
Open Space: 9.25 in² per foot
28.3 (gpm/ft) gallons per minute/foot*
- Tile Pattern: Weight 14.7 lbs
Open Space: 11.93 in² per foot
36.6 (gpm/ft) gallons per minute/foot*
- Brick Pattern: Weight 14.3 lbs
Open Space: 9.72 in² per foot
29.8 (gpm/ft) gallons per minute/foot*
- Deco Slot Pattern: Weight 14.5 lbs
Open Space: 17.46 in² per foot
53.5 (gpm/ft) gallons per minute/foot*



Class D **

- Loads of 326-575 psi.
- Recommended for heavy-duty hard tire forklifts at speeds less than 20 m.p.h., H-20 rated.

ADA Compliance

NDS provides a wide selection of grates that are compliant with the Americans with Disabilities Act. The ADA Accessibility Guidelines For Buildings and Facilities Section 4.5.4 specifies that ground and floor grates "shall have spaces no greater than 1/2 in (13 mm) wide in one direction."

We are pleased to provide grates that comply with these requirements, so that no individual need be limited from accessing the area safely and confidently.

To see if a grate is ADA compliant, please check the description of the product in our [NDS Drainage Catalog](#): products that meet these requirements are marked "ADA compliant."

Like to find out more about ADA compliance and NDS? Send us your question and we'd be happy to help.


- **Note**: All flow rates based on 1/2" of head above the Grate
- **Note**: All installations require concrete surrounding the channel—See Installation Details for Loading Requirements



ADA Compliant/Heel-proof

Rev: 04/04/23





**DS-601
WEAVE PATTERN**



**DS-602
DIAMOND PATTERN**





**DS-603
TILE PATTERN**



**DS-604
BRICK PATTERN**



DS-609

DECO SLOT PATTERN

